Available online at www.sciencedirect.com
ScienceDirect
Superlattices and Microstructures 41 (2007) 132–137
Superlattices and Microstructures
www.elsevier.com/locate/superlattices

Dose dependence of magnetism in Co-doped TiO_2

N. Akdogan[a,*], A. Nefedov[a], A. Westphalen[a], H. Zabel[a], R.I. Khaibullin[b], L.R. Tagirov[b,c]

[a] *Institut für Experimentalphysik/Festkörperphysik, Ruhr-Universität Bochum, D-44780 Bochum, Germany*
[b] *Kazan Physical-Technical Institute of RAS, 420029 Kazan, Russia*
[c] *Kazan State University, 420008 Kazan, Russia*

Received 28 June 2006; received in revised form 31 October 2006; accepted 3 November 2006
Available online 8 December 2006

Abstract

The dose dependence of magnetism in Co-implanted TiO_2 rutile was investigated using the magneto-optic Kerr effect method at room temperature. The (100)- and (001)-oriented single-crystalline rutile TiO_2 plates were used as substrates and implanted by Co ions with a varying dose range of 0.25–1.50 $\times$ 10^{17} ions/cm^2. We observed paramagnetic behaviour for the low dose doped samples, but obtain clear hysteretic-like behaviour for intermediate and high dose doped samples. For the intermediate implantation doses of Co, ferromagnetic behaviour can be explained by the F-center (oxygen vacancies) exchange mechanism, while for the highest implantation dose, in addition to Co substitution on Ti sites, formation of Co nanoclusters may take place within the TiO_2 irradiated region.

Keywords: Magnetic semiconductors; TiO_2 rutile; Magneto-optical Kerr effect; Ion implantation

The discovery of room temperature ferromagnetism in Co-doped anatase TiO_2 [1] has generated much interest in the Co:TiO_2 system as a potential oxide-based diluted magnetic semiconductor (DMS) [2–7]. In spite of rather extensive studies in this field, the origin of the observed ferromagnetism is still unclear. Several investigations explained that cobalt ions in thin TiO_2 films exist in a +2 oxidation state, consistent with ferromagnetism that originates from Co substitution on Ti sites [2], while in other publications the origin of ferromagnetism is reported to be due to the precipitation of cobalt metal clusters [8,9]. Recently, we have reported room temperature ferromagnetism and in-plane magnetic anisotropy of single-crystalline rutile

* Corresponding author. Tel.: +49 0 234 32 23626.
E-mail address: numan.akdogan@rub.de (N. Akdogan).

0749-6036/$ - see front matter © 2006 Elsevier Ltd. All rights reserved.
doi:10.1016/j.spmi.2006.11.001